


Head and Cill Section

By others unless otherwise specified



[1] Example glazing unit: Toughened double glazed unit
 - 6mm HST toughened outer pane
 - 20mm argon-filled cavity, black warm edge spacer
 - 6mm HST toughened soft coat low-E inner pane

[2] Example of roofing:
 - Plain tiles at 120mm gauge with double overlap
 - 50 x 30mm battens & counter-battens
 - 6 x 2in rafters and trimmers
 - 50mm insulating sarking

[3] Flashing kit:
 - If specified then supplied by GV
 - Otherwise supplied by others
 - All lead to be code 4 (apx. 1.8mm)
 - All aprons to be of underlay at least 1m wide
 - Consider clipping flashings and soakers down in severe exposures

[4] Mortar beds are NOT suitable for use with this product
 - Tiles may need to be removed for product maintenance

[5] Example of internal finish:
 - Plasterboard spaced away from the rafters/structural trimmers using timber

[6] Fixings:
 - Woodscrews and a selection of plastic packers supplied by GV


The *Raised Installation* shown here is a raised version of the *Standard Installation* (see GV drawing 202-ASS-002), in that the PitchVent sits on the same level as the surrounding battens. If attempting a raised version of the *Sunken Installation* (see GV drawing 202-ASS-003), where the PitchVent sits below the level of the surrounding battens, note that:
 - A secondary silting fillet should be used (see GV drawing 202-ASS-003).
 - The underlay should be dropped to lap under the PitchVent around all edges (see GV drawing 202-ASS-003).

Please note:

These products can be very heavy. GV strongly recommends that a structural engineer is consulted when designing the structure(s) that will support the PitchVent and the surrounding roof. The roofing materials & construction shown in these details are presented as an example only. This drawing does not constitute a structural proposal.

Jamb Section

By others unless otherwise specified



**GLAZING
VISION**




Saw Mills Road
Diss
Norfolk
IP22 4RG

Tel: +44 (0)333 8000 881
Fax: +44 (0)333 8000 882
Email: sales@glazingvision.co.uk
Website: www.glazingvision.co.uk

IT IS GLAZING VISION'S POLICY TO CONTINUOUSLY DEVELOP AND IMPROVE OUR PRODUCTS. WE THEREFORE RESERVE THE RIGHT TO MODIFY OR CHANGE THE DETAIL DESIGN AT OUR DISCRETION AND WITHOUT PRIOR NOTICE. THIS DRAWING IS COPYRIGHT AND THE SOLE PROPERTY OF GLAZING VISION LTD. THE DESIGNS/INFORMATION IT CONTAINS ARE PRIVATE AND CONFIDENTIAL. IT MUST NOT BE COPIED, EXHIBITED OR COMMUNICATED TO THIRD PARTIES FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS ISSUED WITHOUT THE WRITTEN PERMISSION OF GLAZING VISION LTD.

Third angle projection unless otherwise noted.
 Tolerances:
 Whole numbers = $\pm 1\text{mm}$
 One decimal place = $\pm 0.5\text{mm}$
 Two decimal places = $\pm 0.2\text{mm}$
 All angles 90 ± 0.5 degrees unless specified
IF IN DOUBT - ASK! DO NOT SCALE
Supplier to deburr & remove sharp corners

Rev	Revision Description	Drawn/Date	Product: 202 - PitchVent	Checked By:
-	Initial Release	HL 02.02.18	Description: PitchVent Raised Installation GA	JSL
			Materials: As site hardware list	Check Date:
			Finish: N/A	02.02.18
			Weight: N/A	
			Quantity: N/A	
			Scale: N/A	
			Drawn By: HL	
			Drawn Date: 02.02.18	
			Drawing No: 202-ASS-004 (1 of 2)	

Detail A**Detail B****Detail C****GLAZING
VISION**

Saw Mills Road
Diss
Norfolk
IP22 4RG

Tel: +44 (0)333 8000 881
Fax: +44 (0)333 8000 882
Email: sales@glazingvision.co.uk
Website: www.glazingvision.co.uk

IT IS GLAZING VISION'S POLICY TO CONTINUOUSLY DEVELOP AND IMPROVE OUR PRODUCTS. WE THEREFORE RESERVE THE RIGHT TO MODIFY OR CHANGE THE DETAIL DESIGN AT OUR DISCRETION AND WITHOUT PRIOR NOTICE. THIS DRAWING IS COPYRIGHT AND THE SOLE PROPERTY OF GLAZING VISION LTD. THE DESIGNS/INFORMATION IT CONTAINS ARE PRIVATE AND CONFIDENTIAL. IT MUST NOT BE COPIED, EXHIBITED OR COMMUNICATED TO THIRD PARTIES FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT WAS ISSUED WITHOUT THE WRITTEN PERMISSION OF GLAZING VISION LTD.

Third angle projection unless otherwise noted.
Tolerances:
Whole numbers = $\pm 1\text{mm}$
One decimal place = $\pm 0.5\text{mm}$
Two decimal places = $\pm 0.2\text{mm}$
All angles 90 ± 0.5 degrees unless specified
IF IN DOUBT - ASK! DO NOT SCALE
Supplier to deburr & remove sharp corners

Rev	Revision Description	Drawn/ Date	Product: 202 - PitchVent	Checked By:
-	Initial Release	HL 02.02.18	Description: PitchVent Raised Installation GA	JSL
			Materials: As site hardware list	Check Date:
			Finish: N/A	02.02.18
			Weight: N/A	
			Quantity: N/A	
			Scale: N/A	Drawing No: 202-ASS-004 (2 of 2)